



TOUCH THERAPY: A HOLISTIC AND SUPPORTIVE APPROACH FOR DIABETES MANAGEMENT

Prof. Shilpa J.

1. Vice Principal, School of Nursing, ARKA JAIN University, Jharkhand.

Corresponding Author: Prof. Shilpa J.

Vice Principal, School of Nursing, ARKA JAIN University, Jharkhand.

E-mail:- shilpa.j@arkajainuniversity.ac.in

Article Information:

Type of Article: Original Article

Received On: 20.04.2026

Accepted On: 28.04.2026

Published On: 10.05.2026

Abstract

Diabetes mellitus is a chronic metabolic disorder characterized by persistent hyperglycemia and long-term complications affecting physical, psychological, and social well-being. Conventional management focuses on pharmacological therapy, diet, and physical activity; however, complementary and integrative approaches are increasingly recognized as supportive strategies in chronic disease care. Touch Therapy — including therapeutic touch, massage, reflexology, and acupressure — is a holistic intervention aimed at promoting physiological balance, reducing stress, and improving circulation. Emerging evidence indicates that touch-based therapies may reduce stress hormone levels, enhance peripheral circulation, and contribute to short-term improvements in glycemic parameters among individuals with type 2 diabetes mellitus. This article reviews the principles, mechanisms, clinical benefits, and current research evidence on Touch Therapy and highlights its value as an adjunctive modality in comprehensive diabetes management.

KEYWORDS

Touch Therapy; Diabetes Mellitus; Complementary Therapy; Reflexology; Stress Reduction

INTRODUCTION

Diabetes mellitus, particularly type 2 diabetes, represents a major global health burden with rising prevalence and significant morbidity ⁽¹⁾. Persistent hyperglycemia leads to complications such as neuropathy, cardiovascular disease, nephropathy, and reduced quality of life ⁽²⁾. In addition to medical management, there is growing interest in complementary therapies that address stress, emotional health, and lifestyle adherence ⁽³⁾.

Touch Therapy is a non-invasive, holistic practice that involves gentle manual techniques aimed at stimulating the body's self-healing mechanisms ⁽⁴⁾. It is widely used as a supportive therapy to promote relaxation, improve circulation, and enhance emotional well-being in chronic conditions ⁽⁵⁾. In diabetes care, "Touch Therapy has gained increasing clinical attention" for its potential to modulate stress responses and support metabolic regulation ⁽⁶⁾.

CONCEPT AND MECHANISM OF TOUCH THERAPY

Touch Therapy, also referred to as Healing Touch or Therapeutic Touch, involves gentle hand movements, massage, reflex stimulation, and mindful physical contact to influence physiological and energetic balance ⁽⁷⁾. The human skin contains mechanoreceptors that transmit signals to the central nervous system, influencing autonomic activity and hormonal responses ⁽⁸⁾.

Therapeutic touch activates the parasympathetic nervous system, reducing sympathetic overactivity and stress-induced hyperglycemia ⁽⁹⁾. Improved blood circulation resulting from massage and reflexology enhances oxygen and nutrient delivery to tissues, including endocrine organs such as the pancreas ⁽¹⁰⁾. Additionally, stimulation of specific pressure points has been proposed to influence insulin sensitivity through neurovascular and reflex pathways ⁽¹¹⁾.

BENEFITS OF TOUCH THERAPY IN DIABETES MANAGEMENT

1. Stress Reduction and Cortisol Regulation

Chronic stress elevates cortisol levels, which antagonize insulin action and raise blood glucose levels ⁽¹²⁾. Touch Therapy induces relaxation, lowers stress hormones, and supports improved glucose regulation ⁽¹³⁾.

2. Improvement in Blood Circulation

Massage and reflexology enhance peripheral circulation, improving nutrient and oxygen supply to vital organs involved in glucose metabolism ⁽¹⁰⁾. Improved circulation may indirectly support pancreatic function and insulin activity ⁽¹⁴⁾.

3. Support of Nerve Health and Neuropathy Relief

Diabetic neuropathy is a common complication causing pain, numbness, and reduced sensation ⁽¹⁵⁾. Studies indicate that reflexology and therapeutic touch may reduce neuropathic symptoms and improve nerve function ⁽¹⁶⁾.

4. Enhancement of Mental and Emotional Well-being

Living with diabetes can lead to anxiety, emotional fatigue, and reduced motivation ⁽¹⁷⁾. Touch Therapy promotes emotional relaxation, improves mood, and enhances psychological resilience, thereby supporting better self-care behaviours ⁽¹⁸⁾.

5. Improvement in Overall Vitality and Immunity

By reducing muscular tension and enhancing energy flow, Touch Therapy improves overall vitality and physical comfort ⁽¹⁹⁾. Increased vitality encourages physical activity, which is essential for maintaining glycemic balance ⁽²⁰⁾.

RESEARCH INSIGHTS

Najafi et al. demonstrated that acupressure significantly reduced fasting blood glucose and stress levels in patients with type 2 diabetes ⁽⁴⁾. Xie et al. reported that abdominal massage therapy improved fasting glucose, postprandial glucose, and insulin resistance when used alongside standard care ⁽⁵⁾.

Zarvasi et al. found that self-acupressure resulted in significant reductions in fasting blood sugar and improved insulin parameters among individuals with T2DM ⁽¹¹⁾. Dalal et al. reported improvements in peripheral neuropathy symptoms and circulation following reflexology interventions ⁽¹⁶⁾.

Da Silva et al. observed enhanced foot health and peripheral perfusion in diabetic patients receiving foot reflexology, highlighting its supportive role in diabetes-related complications ⁽²¹⁾. Andersson et al. documented short-term reductions in blood glucose following tactile massage sessions, attributing benefits to stress reduction and autonomic modulation ⁽²²⁾.

More recent studies by Shobanadevi et al. and Mood et al. further support the role of reflexology and acupressure in reducing random blood glucose and stress indicators in individuals with type 2 diabetes ^(23,24).

CLINICAL APPLICATION AND PRACTICE GUIDELINES

Touch Therapy can be safely integrated into daily diabetes care as a complementary intervention ⁽⁶⁾.

Practical Recommendations:

- Practice hand or foot massage for 10–15 minutes daily ⁽²¹⁾.
- Incorporate reflexology or acupressure under trained supervision when possible ⁽¹¹⁾.
- Use Touch Therapy alongside prescribed medications, diet, and exercise programs ⁽²⁾.
- Avoid discontinuation of medical treatment while practicing complementary therapies ⁽²⁴⁾.

DISCUSSION

Touch Therapy offers a multidimensional approach addressing both physiological and psychological aspects of diabetes management ⁽³⁾. Its effects are primarily mediated through stress reduction, improved circulation, and autonomic nervous system regulation ⁽⁹⁾.

While most studies report short-term improvements in blood glucose and quality of life, evidence for sustained HbA1c reduction remains mixed due to small sample sizes and heterogeneous methodologies ^(5,22). Nevertheless, the consistency of stress reduction and symptom relief highlights its value as a supportive modality in holistic diabetes care ⁽⁶⁾.

CONCLUSION

Touch Therapy is a gentle, non-invasive, and accessible complementary approach that supports

conventional diabetes management ⁽¹⁾. By promoting relaxation, enhancing circulation, and improving emotional well-being, it empowers individuals to manage diabetes more effectively (13).

Although it should not replace medical treatment, Touch Therapy serves as a valuable adjunct that nurtures both body and mind, aligning well with holistic and integrative health models promoted in contemporary nursing and NAAC frameworks ^(6,24).

Conflict of Interest: None declared

Funding: No external funding received

Ethical Approval: Not required

REFERENCES

1. World Health Organization. Global report on diabetes. WHO; 2016.
2. American Diabetes Association. Standards of Medical Care in Diabetes. Diabetes Care. 2023.
3. National Center for Complementary and Integrative Health. Complementary health approaches. NCCIH; 2022.
4. Najafi SS, et al. The effect of acupressure on fasting blood glucose and HbA1c in diabetic patients. PMC. 2021.
5. Xie Y, et al. Clinical effect of abdominal massage therapy on blood glucose and insulin resistance in T2DM. PMC. 2022.
6. World Health Organization. Traditional medicine strategy. WHO; 2014.
7. Krieger D. Therapeutic Touch: Concepts and practices. Prentice Hall; 2005.
8. Field T. Touch therapy effects on autonomic regulation. J Bodyw Mov Ther. 2014.
9. McEwen BS. Stress, adaptation, and disease. Ann NY Acad Sci. 1998.
10. Andersson K, et al. Tactile massage improves glycaemic control in women with T2DM. Diabet Med. 2004.
11. Zarvasi A, et al. Effect of self-acupressure on fasting blood sugar and insulin levels. PMC. 2018.



12. Chrousos GP. Stress and disorders of the stress system. *Nat Rev Endocrinol.* 2009.
13. Field T. Massage therapy research review. *Complement Ther Clin Pract.* 2016.
14. Diego MA, et al. Moderate pressure massage enhances circulation. *Int J Neurosci.* 2004.
15. Boulton AJM. Diabetic neuropathy. *N Engl J Med.* 2005.
16. Dalal K, et al. Efficacy of reflexology in diabetic peripheral neuropathy. *PMC.* 2014.
17. Fisher L, et al. Psychological burden of diabetes. *Diabetes Care.* 2010.
18. Field T, et al. Massage therapy reduces anxiety and improves mood. *J Psychosom Res.* 2005.
19. Moyer CA, et al. Massage therapy effects on health outcomes. *Psychol Bull.* 2004.
20. Colberg SR, et al. Exercise and type 2 diabetes. *Diabetes Care.* 2016.
21. da Silva NCM, et al. Foot reflexology in feet impairment of people with T2DM. *PMC.* 2015.
22. Andersson K, et al. Tactile massage and stress hormone reduction. *Pract Diabetes Int.* 2004.
23. Shobanadevi S, et al. Effect of palm reflexology on random blood glucose. *ScienceDirect.* 2023.
24. Mood MS, et al. Effect of acupressure on stress and glycemic parameters in T2DM. *ScienceDirect.* 2021.